

the percentages of variance explained for the monosyllabic and the bisyllabic words. Psycholinguists have a special relationship with these words, because the vast majority of experiments and computational models of visual word recognition thus far have been based on monosyllabic words and are currently being extended to bisyllabic stimuli. Therefore, it is important to know how well the frequency measures are doing for these words.

We based the regression analyses of the RTs on the scores of the participants. These were calculated by subtracting the mean of each participant from their raw RT and dividing the remainder by the participant's standard deviation. In this way, individual differences in overall



RESULTS Sort by 相关性排序



About 1 results 翻译全部

ARTICLE [Moving beyond Kučera and Francis: A critical evaluation of current word frequency norms and the introduction of a new and improved word frequency measure for ...](#)

M. Brysbaert B. New

Behavior research 2009, Springer

... extended to bisyllabic stimuli. Therefore, it is important to know how well the frequency measures are doing for these words. We based the regression analyses of the RTs on the z scores of the



新知 New Knowledge 顶部检索区 登科干信

1 | Refine Listing

Search Title

Re-Search Q In Results

2 | Access Type

All Results

Full Text

3 | Publication Date

Past 5 Years Past 2 Years Past Year

1700 2020

4 | Hot Words

frequency temperature seriesland surface memory study criterion climate variable

RESULTS Sort by 相关性排序

About 7280000 results 2 翻译全部

ARTICLE 3 1 PDF

Moving beyond Kučera and Francis: A critical evaluation of current word frequency norms and the introduction of a new and improved word frequency measure for ...

M. Brysbaert B. New

Behavior research methods, 2009, Springer

Word frequency is the most important variable in research on word processing and memory. Yet, the main criterion for selecting word frequency norms has been the availability of the measure, rather than its quality. As a result, much research ...

5 1868 相关文章 所有18个版本 4 1 1

ARTICLE 1 PDF

A new technique for the cultivation of the chick embryo in vitro

DAT New

Development, 1955, dev.biologists.org

The inaccessibility of the chick embryo in the egg has led to the invention of a large number of in vitro techniques for its cultivation and study. The simplest of these ...

ARTICLE 1 PDF

Lexique: A new French lexical database

B. New C. Pallier M. Brysbaert L. Ferrand

Behavior Research Methods, 2004, Springer

In this article, we present a new lexical database for French: Lexique. In addition to classical word information such as gender, number, and grammatical category, Lexique includes a series of interesting new characteristics. First, word frequen...

725 相关文章 所有19个版本 1 1 1

< 1 2 3 4 5 6 ... 100 >

新知 New Knowledge 顶部检索区 登科干信

① Refine Listing

Search Title

Re-Search Q

In Results

左侧辅助功能区

② Access Type

All Results

Full Text

③ Publication Date

Past 5 Years Past 2 Years Past Year

1700 2020

1700

2020



④ Hot Words

number
extent measure embryo
period
recipitation
result
frequency quality
suite
data temperature time latx
research word range
series land surface memory
criterion study
climate article
variable

RESULTS ① Sort by 相关性排序

About 7280000 results ② 翻译全部



右侧结果列表区

ARTICLE  **Moving beyond Kučera and Francis: A critical evaluation of current word frequency norms and the introduction of a new and improved word frequency measure for ...** ③ 

👤 M Brysbaert 👤 B New

Behavior research methods, 2009 , Springer

Word frequency is the most important variable in research on word processing and memory. Yet, the main criterion for selecting word frequency norms has been the availability of the measure, rather than its quality. As a result, much research ...

⑤ [↗ 1868 相关文章](#) [所有18个版本](#) ④  

< 1 2 3 4 5 6 ... 100 >

